

PRODUCT DATA SHEET:

PANEL SUPPORT - 20 CM.

Basic information


Pack size: 31 (l) x 12 (w) x 23 (d) cm.
Assembled size: 21 (l) x 15 (w) x 39 (d) cm.
Weight excluding box: 2.58 kg.

The structure raises the panel 11 cm off the floor.



Assembly

We recommend assembling the support with the panel extended; the panel should be inserted on the ground, so it can be positioned centrally in the support and attached to the locking mechanism.



Recommended materials

FOAMEX® (PVC) 3/5/10 mm.

✘ NOT RECOMMENDED Too flexible.

PLEXIGLAS®


✘ NOT RECOMMENDED Too flexible; risk of cracking.

FOAMCORE


✔ RECOMMENDED

Recommended maximum size: 160 x 200 cm.

Beyond the recommended dimensions, it tends to sag and lose its centre of gravity.



- Recommended size: MAX 100 (l) x 170 (w) cm.
- Size with a risk of sagging: MAX 160 (l) x 200 (w) cm.
- Size not recommended: over 160 (l) x 200 (w) cm.




ALUMINIUM


✔ RECOMMENDED

Recommended maximum size: 90 x 150 cm.

Naturally unstable due to its weight and thin structure: it tends to become unbalanced.




- Recommended size: MAX 90 (l) x 150 (w) cm.
- Size with a risk of sagging: MAX 120 (l) x 180 (w) cm.
- Size not recommended: over 120 (l) x 180 (w) cm.




HONEYCOMB CARDBOARD

✓ RECOMMENDED

Recommended maximum size: 90 x 130 cm.
Very little sagging.




- Recommended size:
MAX 90 (l) x 130 (w) cm.
- Size with a risk of sagging:
MAX 130 (l) x 200 (w) cm.
- Size not recommended:
over 130 (l) x 200 (w) cm.




BALSA

✓ RECOMMENDED

Recommended maximum size: 100 x 170 cm.
Very little sagging.



- Recommended size:
MAX 100 (l) x 170 (w) cm.
- Size with a risk of sagging:
MAX 116 (l) x 220 (w) cm.
- Size not recommended:
over 116 (l) x 220 (w) cm.




PRODUCT DATA SHEET:

PANEL SUPPORT - 50 CM.

Basic information


Pack size: 52 (l) x 11 (w) x 30 (d) cm.
Assembled size: 50 (l) x 15 (w) x 39 (d) cm.
Weight excluding box: 5.5 kg.

The structure raises the panel 11 cm off the floor.



Assembly

We recommend assembling the support with the panel extended; the panel should be inserted on the ground, so it can be positioned centrally in the support and attached to the locking mechanism.



Recommended materials


FOAMEX® (PVC) 3/5/10 mm. ❌ NOT RECOMMENDED Too flexible.

PLEXIGLAS® ❌ NOT RECOMMENDED Too flexible; risk of cracking.

FOAMCORE ✅ RECOMMENDED

Recommended maximum size: 140 x 110 cm.

Beyond the recommended dimensions, it tends to sag and loses its centre of gravity.




- Recommended size: MAX 140 (l) x 110 (w) cm.
- Size with a risk of sagging: MAX 240 (l) x 170 (w) cm.
- Size not recommended: over 240 (l) x 170 (w) cm.




ALUMINIUM ✅ RECOMMENDED

Recommended maximum size: 260 x 130 cm.

Tends to sag in large sizes, if not properly attached to the support.




- Recommended size: MAX 260 (l) x 130 (w) cm.
- Size with a risk of sagging: 300 (l) x 195 (w) cm.



**HONEYCOMB
CARDBOARD**

✓ RECOMMENDED

The whole printable area can be used. Very little sagging.



BALSA

✓ RECOMMENDED

The whole printable area can be used. Very little sagging.

